

# Sandwich Prep Cases



**R&D**  
**FIXTURES**  
A Division of COYOD, LLC.



*Energy Efficient.  
Flexible Design Options.*

***Four levels of customization:***

- Level 1: Choose a standard unit right out of the catalog with black, white, or almond laminate finishes.
- Level 2: Upgrade finishes - Choose optional laminates, or stainless steel.  
Choose a Caesarstone or Corian counter top.
- Level 3: Upgrade look and functionality by choosing from available add-ons and accessories.
- Level 4: We design to your specifications or manufacture your custom designed fixture or layout.

**STANDARD SANDWICH PREP CASE**



Standard case upgraded with optional laminate finish, Caesarstone counter and curved glass sneeze guard.

Our standard sandwich prep case is available for glycol systems and features 3 refrigerated areas:

- Prep counter with cold pans
- Merchandising front
- Rear storage with sliding glass doors

This case features remote refrigeration with a blower coil and solenoid valve system, all wired to standard refrigeration control. Self-contained refrigeration is not available for this unit. See Specifications on following pages for details.



Sandwich case with straight glass sneeze guard and optional finishes showing front merchandising area.



Convenient rear refrigeration makes this unit a stand-alone sandwich prep solution.

R&D Fixtures  
 490 Industrial Drive  
 Mt. Juliet, TN 37122  
 (888) 827-6820 • Fax (615) 758-1006 • [www.rdfixtures.com](http://www.rdfixtures.com) • [sales@rdfixtures.com](mailto:sales@rdfixtures.com)

Built to meet the following regulatory specifications.



Rev. 09/2011 Printed in U.S.A.

*Based on operating conditions of 77°F and 55% relative humidity. Due to continuous improvements, specifications subject to change without notice.*

Ideal for preparing and merchandising sandwiches, sushi, pizza or any cold packaged foods.

## SPECIFICATIONS

### BASE CABINET CONSTRUCTION

- Unit features a merchandising front, prep counter and rear storage, which are all refrigerated.
- Front, end panels and all edges to consist of 3/4" plywood panels finished in high pressure plastic laminate.
- Frame to consist of square steel tubing (Sneeze guard to be 1-1/4" round steel tubing).
- 1 row of protective 1" vinyl bumper.
- 7" high black toe-kick base.
- Optional 1-1/4" adjustable levelers provided at all 4 corners (Unit must be leveled plumb at time of installation).
- Fixture is designed to NEC, UL and NSF standards.
- Warranty is one year parts and labor.

### SHELVING

- Adjustable shelves and deck pans are easily removable.
- Full height shelf support pilasters with slotted holes on 1" centers for vertical shelf adjustments.
- 1 shelf in merchandising area and 1 shelf in storage area standard on all models (Extra shelves are optional).
- Brackets allow shelf to be adjusted to 3 different angles to increase visibility.
- LED lights illuminate shelf area below and come with a separate on/off switch.

### ELECTRICAL REQUIREMENTS


- Unit is pre-wired and furnished with a junction box for use on a dedicated 120V, 60Hz, 1 phase circuit.
- All units built in strict accordance with all applicable NEC, UL and NSF standards.



Sandwich Prep case with ull curve sneeze guard upgrade.

### REFRIGERATION SYSTEM

- Remote refrigeration with blower coil and solenoid valve system all wired to standard refrigeration control.
- Digital readout thermometer provided to verify cabinet temperature is maintained between 38° and 40°F.
- Supplied with 1" drain (Condensate evaporation pan is available to eliminate the need for plumbing hookup).
- Optional rear refrigerated storage has a blower coil with NSF certified coating, wire shelving, clear insulated sliding doors, incandescent lights and a thermometer.
- Low energy Axial fan supports merchandising and cold pan areas.



Built to meet the following regulatory specifications.



R&D Fixtures  
490 Industrial Drive  
Mt. Juliet, TN 37122  
(888) 827-6820 • Fax (615) 758-1006 • www.rdfixtures.com • sales@rdfixtures.com

Rev. 09/2011 Printed in U.S.A.

Based on operating conditions of 77°F and 55% relative humidity. Due to continuous improvements, specifications subject to change without notice.

## STANDARD FEATURES


- Unit built with 14 gauge steel frame and finished in high pressure plastic laminate exterior (white, black or almond). *Optional colors available*
- Interior to be powder coated steel and mirrored side panels.
- Remote refrigeration with blower coil and solenoid valve system, all wired to standard refrigeration control (Self-contained not available).
- Refrigerated merchandising area includes led lighting and 1 adjustable steel shelf with ticket molding.
- Prep area includes refrigerated 1/4 pans.
- Rear refrigerated storage includes clear sliding doors and one adjustable shelf.
- 1 row of protective vinyl bumper.
- Unit is pre-wired and furnished with a junction box for use on a dedicated 120/208V, 60Hz, 1 phase circuit.
- Built in accordance with NEC, UL and NSF standards.
- Contact factory for assorted finishes, pans, bar accessories and alternative configurations.
- Warranty is one year parts and labor.

## OPTIONAL ACCESSORIES

- Night covers for food prep pans.
- Powder coated interior and sneeze guard.
- Curved or straight tempered glass sneeze guard.
- Countertop to be laminate, stainless steel, solid surface or quartz engineered stone.
- Assorted colors available for countertop, laminate, vinyl bumper and powder coat.
- Bar packages can provide inset pans, lids, tongs, ladles, serving spoons and salad dressing templates.
- Extra shelves.
- Wire or glass shelves in lieu of sheet metal.
- End panels have mirrored interior.
- Optional rear refrigerated storage includes clear sliding doors (Mirrored or solid available).
- Product enhancing lights.
- End panels available in solid wood or glass.
- Available for glycol systems.
- Cord set available in lieu of junction box.

Sandwich/Sushi/Pizza Prep Case	Dimensions (inches)			Number of 1/4 Size PrepPans	BTUH @20°F Evap	Volts	Phase	Amps
	L	D	H					
4'	49 1/2	53 5/8	54 1/8	6	2600	120	1	4.5
6'	73 1/2	53 5/8	54 1/8	9	3900	120	1	6
8'	97 1/2	53 5/8	54 1/8	11	5200	120	1	7.5

	Product Specifications	Standard	Options
1	Exterior <sup>1</sup>	White, Black, Almond Laminate	Other Finishes Available
2	Interior <sup>2</sup>	Powder Coated Black	Various Powder Coat Colors
3	Counter Top <sup>3</sup>	White, Black, Almond Laminate	Other Laminate Colors Stainless Steel Corian CaesarStone
4	Sneeze Guard <sup>4</sup>	Straight Glass Stainless Steel Posts	Curved Glass Powder Coated Posts



R&D Fixtures  
 490 Industrial Drive  
 Mt. Juliet, TN 37122  
 (888) 827-6820 • Fax (615) 758-1006 • www.rdfixtures.com • sales@rdfixtures.com

Built to meet the following regulatory specifications.



Rev. 09/2011 Printed in U.S.A.

Based on operating conditions of 77°F and 55% relative humidity. Due to continuous improvements, specifications subject to change without notice.



*The glass sneeze guard doubles as an insulated food pan cover - allowing product to be stored in the cold pans at night.*

## SPECIFICATIONS / FEATURES

### CABINET AND CANOPY CONSTRUCTION

- Unit features refrigerated storage under cabinet with lighted shelving.
- Stainless steel prep counter to include reversible cutting boards, 2 trash chutes with removable 1/3 size pans and recessed shelf space.
- Front, end panels, and all edges to consist of 3/4" plywood panels finished in high pressure plastic laminate.
- Front glass on hydraulic lift system serving as pan cover and front sneeze guard.
- Stainless steel canopy features glass end panels and T5 lighting with shatter shield and separate on/off switch.
- Hinged front panel allows easy access for cleaning and servicing electrical and plumbing components.
- Cold prep area accommodates 18 1/4 size pans (Pans sold separate).
- 3 rows of protective 1" vinyl bumper.
- 4" high black toe-kick base.
- Unit must be leveled plumb at time of installation.
- Fixture is designed to NEC, UL and NSF standards.
- Warranty is one year parts and labor.

### REFRIGERATION SYSTEM

- Integrated self-contained refrigeration with blower coil system (All wired to standard refrigeration control accommodates rear and countertop areas).
- Digital readout thermometer provided to verify cabinet temperature is maintained between 38° and 40°F.
- Condensate evaporation pan eliminates the need for plumbing hookup.
- Rear refrigerated storage has a blower coil with NSF certified coating, wire shelving, clear insulated sliding doors, incandescent lights and thermometer.

### ELECTRICAL REQUIREMENTS

- Unit is pre-wired and furnished with a junction box for use on a dedicated 120V, 60Hz, 1 phase circuit.
- All units built in strict accordance with all applicable NEC, UL and NSF standards.


R&D Fixtures  
490 Industrial Drive  
Mt. Juliet, TN 37122  
(888) 827-6820 • Fax (615) 758-1006 • [www.rdfixtures.com](http://www.rdfixtures.com) • [sales@rdfixtures.com](mailto:sales@rdfixtures.com)

Built to meet the following regulatory specifications.



Rev. 09/2011 Printed in U.S.A.


*Based on operating conditions of 77°F and 55% relative humidity. Due to continuous improvements, specifications subject to change without notice.*



Sandwich Prep Case	1/4 Size Prep Pans	Dimensions (inches)			Volts	Phase	Amps
		L	D	H			
6'	18	74	41	59 1/2	1600	120	20

**Other sizes available.**

Top View



**OPTIONAL ACCESSORIES**

- Powder coated interior and sneeze guard.
- Countertop to be laminate, solid surface or quartz engineered stone.
- Assorted colors available for countertop, laminate, vinyl bumper and powder coat.
- Bar packages can provide inset pans, lids, tongs, ladles, serving spoons and salad dressing templates.
- LED lighting.
- Wire or glass shelves in lieu of sheet metal.
- Mirror interior end panels.
- Solid or mirrored sliding doors available for rear refrigerated storage.
- End panels available in solid wood or glass.
- Available for glycol systems.
- Cord set available in lieu of junction box.


R&D Fixtures  
 490 Industrial Drive  
 Mt. Juliet, TN 37122  
 (888) 827-6820 • Fax (615) 758-1006 • www.rdfixtures.com • sales@rdfixtures.com

Built to meet the following regulatory specifications.




Rev. 09/2011 Printed in U.S.A.

*Based on operating conditions of 77°F and 55% relative humidity. Due to continuous improvements, specifications subject to change without notice.*



**Straight Service Glass Sneeze guard**



**Curved Service Glass Sneeze guard**




R&D Fixtures  
 490 Industrial Drive  
 Mt. Juliet, TN 37122  
 (888) 827-6820 • Fax (615) 758-1006 • [www.rdfixtures.com](http://www.rdfixtures.com) • [sales@rdfixtures.com](mailto:sales@rdfixtures.com)

Built to meet the following regulatory specifications.




Rev. 09/2011 Printed in U.S.A.

*Based on operating conditions of 77°F and 55% relative humidity. Due to continuous improvements, specifications subject to change without notice.*




**Service with Shelf and Front Lift-Up Glass**

Standard: Lift-Up glass with (rotating) Caesar hinge  
 Option: Fixed glass front



**Fold Down Sneeze Guard**

Serves as sneeze guard in "up" position and as insulated food pan cover in "down" position.









Built to meet the following regulatory specifications.

R&D Fixtures  
 490 Industrial Drive  
 Mt. Juliet, TN 37122  
 (888) 827-6820 • Fax (615) 758-1006 • www.rdfixtures.com • sales@rdfixtures.com



Rev. 09/2011 Printed in U.S.A.

*Based on operating conditions of 77°F and 55% relative humidity. Due to continuous improvements, specifications subject to change without notice.*







R&D Fixtures  
490 Industrial Drive  
Mt. Juliet, TN 37122

Built to meet the following regulatory specifications.



(888) 827-6820 • Fax (615) 758-1006 • www.rdfixtures.com • sales@rdfixtures.com Rev. 09/2011 Printed in U.S.A.

Based on operating conditions of 77°F and 55% relative humidity. Due to continuous improvements, specifications subject to change without notice.



Built to meet the following regulatory specifications.

R&D Fixtures  
 490 Industrial Drive  
 Mt. Juliet, TN 37122  
 (888) 827-6820 • Fax (615) 758-1006 • www.rdfixtures.com • sales@rdfixtures.com



Rev. 09.2011 Printed in U.S.A.  
 Based on operating conditions of 77°F and 55% relative humidity. Due to continuous improvements, specifications subject to change without notice.

**R&D**  
**FIXTURES**  
A Division of COYOD, LLC.

490 Industrial Drive  
Mt. Juliet, TN 37209

Office: 616-758-1000  
Fax: 615-758-1006  
[www.rdfixtures.com](http://www.rdfixtures.com)